	Application No.	Applicant(s)
Notice of Allowability	10/796,178	NISHIYAMA ET AL.
	Examiner	Art Unit
	Oschta Montoya	2623
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>09/25/2007</u> .		
2. The allowed claim(s) is/are <u>1 and 8-20</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No. 09/238,639.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
<ul> <li>4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.</li> <li>5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> </ul>		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	Paper No./Mail Da 7. ⊠ Examiner's Amendr	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's Stateme	ent of Reasons for Allowance
	CHRISTO SUPERVISORY	OPHER GRANT PATENT EXAMINER

Application/Control Number: 10/796,178 Page 2

Art Unit: 2623

Terminal Disclaimer

1. The terminal disclaimer filed on 09/25/2007 disclaiming the terminal portion of

any patent granted on this application which would extend beyond the expiration date of

patent US 6,725,460 has been reviewed and is accepted. The terminal disclaimer has

been recorded.

Allowable Subject Matter

2. The following is a statement of reasons for the indication of allowable subject

matter.

Claims 1 and 8-20 are allowable because the prior art fails to teach or suggest a

system and corresponding method comprising the combination of elements/steps

wherein one of the terminal apparatuses sends the center system a picture of a screen

of said one of the terminal apparatuses on which the contents received from the center

system is displayed and a remote monitoring unit configured to determine based on the

received picture whether any of the plurality of contents are displayed on the screen of

said the one of terminal apparatuses as recited in the claims.

Contact

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Oschta Montoya whose telephone number is (571) 270-

Application/Control Number: 10/796,178

Art Unit: 2623

1192. The examiner can normally be reached on Monday/Friday 7:30 to 5:00 off every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Grant can be reached on (571) 272-7294. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

OM

CHRISTOPHER GRANT SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600 Page 3